

THREE GOLDMEDALS BIOTECH CORP
ROOM310, 3F, GUANG-HUA BUILDING, NO.1, SEC3, ZHONGXIAO
E.RD., TAIPEI, TAIWAN, R.O.C

Report No. : FA/2018/63748A-01

Date : 2018/06/28

Page : 1 of 2



THE FOLLOWING MERCHANDISE WAS(WERE) SUBMITTED AND IDENTIFIED BY THE CLIENT AS :

Product Name : Spring AquaH LLC Water System
Sample condition : Please refer to the photos for sample shown at the last page of this report
Item No. : SA88-1
Lot. No. : —
Applicant : THREE GOLDMEDALS BIOTECH CORP
Manufacturer/Vendor : THREE GOLDMEDALS BIOTECH CORP
Manufacture Date : —
Expiry Date : —
Country of Origin : Taiwan
Sample Received : 2018/06/19
Testing Date : 2018/06/20
Test Results:

Test Item	Test Method	Results	LOQ/LOD (Note 3.)	Unit
★Salmonella	MOHW Method Food No. 1021951187 Announced. Methods of Test for Food Microorganisms - Test of Salmonella.	Negative	---	---
Fecal Streptococci	MOHW Method Food No. 1021951173 Announced. Methods of Test for Food Microorganisms- Test of Fecal Streptococci in Bottled and Packaged Drinking Water.	Negative	1	CFU/100mL
Listeria monocytogenes	MOHW Method Food No. 1021951354 Announced. Methods of Test for Food Microorganisms-Test of Listeria monocytogenes	Negative	---	---
★Mold and Yeast	MOHW Method Food No. 1021950329 Announced. Methods of Test for Food Microbiology-Test of Mold and Yeast Count.	Negative*	10	CFU/mL
★Aerobic Plate Count	MOHW Method Food No. 1021950329 Announced. Methods of Test for Food Microorganisms-Test of Standard Plate Count (Aerobic Plate Count).	Negative*	10	CFU/mL

Note : 1. The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.

- The report is in vain if it is partly reproduced or used.
- If the testing item belongs to quantitative analysis then this column describes Limit of Quantification(LOQ);
If the testing item belongs to qualitative analysis then this column describes Limit of Detection(LOD).
- The testing result will be "N.D." or Negative for Limit of Quantification and Limit of Detection, respectively.
- The testing items having been accredited by MOHW are added with a mark "★".
- It's an estimate count when the "★" is shown along with standard plate count or/and mold and yeast count.

- END -

Chengchia Tsai
Chengchia Tsai, Manager
Signed for and on behalf of
SGS Taiwan Ltd.



Link to SGS safety information platform
Contact person : Sonny Ren, Ph.D.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130222

Page : 1 OF 1

Date : Oct. 16, 2018


The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Arsenic	ND<0.0004 (mg/L)	NIEA W434.54B	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.




 Wen Chen, M.S./ Sr.Chemist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130223

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Cadmium	ND<0.001 (mg/L)	NIEA W311.53C	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Wen Chen
Wen Chen, M.S./ Sr.Chemist

SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130224

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Coliform Group	59 (CFU/100mL)	NIEA E230.55B	

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

3. If there are any discrepancy, the Chinese version shall prevail.




Dong Lu, M.R. / Chemist

SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130225

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Chromium	ND<0.004 (mg/L)	NIEA W311.53C	

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

3. If there are any discrepancy, the Chinese version shall prevail.



Wen Chen
 Wen Chen, M.S./ Sr. Chemist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130226

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Hexavalent Chromium	ND<0.0073 (mg/L)	NIEA W320.52A	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Chenyu Lin

Chenyu Lin, M.S./ Chemist

SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130227

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Fluoride	<0.05 (mg/L)	NIEA W413.52A	

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

3. If there are any discrepancy, the Chinese version shall prevail.



FangYu Liao

FangYu_Liao, M.S./ Asst. Supervisor
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130228

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:


Test Requested	Test Results (Unit)	Test Methods	REMARK
Iron	<0.030(0.022) (mg/L)	NIEA W311.53C	

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

3. If there are any discrepancy, the Chinese version shall prevail.




 Wen Chen, M.S./ Sr.Chemist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130229

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869,TAIWAN,R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Mercury	ND<0.00015 (mg/L)	NIEA W330.52A	

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.

3. If there are any discrepancy, the Chinese version shall prevail.



Wen Chen
 Wen Chen, M.S./ Sr.Chemist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130230

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Lead	ND<0.003 (mg/L)	NIEA W311.53C	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Wen Chen
 Wen Chen, M.S./ Sr. Chemist
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130231

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Free Residual Chlorine	<0.02 (mg/L)	NIEA W408.51A	REMARK4.

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

- The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
- If there are any discrepancy, the Chinese version shall prevail.
- The data is not measured on site.



FangYu Liao

FangYu_Liao, M.S./ Asst. Supervisor
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130232

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System) (Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Nitrite Nitrogen	ND<0.001 (mg/L)	NIEA W436.52C	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



FangYu Liao

FangYu_Liao, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130233

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System) (Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Combined Available Residual Chlorine	<0.02 (mg/L)	NIEA W408.51A	REMARK4.

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

- The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
- If there are any discrepancy, the Chinese version shall prevail.
- The data is not measured on site.



FangYu Liao

FangYu_Liao, M.S./ Asst. Supervisor
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130234

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System) (Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Total Residual Chlorine	<0.02 (mg/L)	NIEA W408.51A	REMARK4.

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

- The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
- If there are any discrepancy, the Chinese version shall prevail.
- The data is not measured on site.



FangYu Liao

FangYu_Liao, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130235

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
THMs	ND<0.00130 (mg/L)	NIEA W785.56B	REMARK4.

REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.

- The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
- If there are any discrepancy, the Chinese version shall prevail.
- The items are analyzed by SGS Taiwan Ltd.-Kaohsiung.



Atina Hsieh

Atina Hsieh, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130236

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Staphylococcus aureus	Negative (MPN/mL)	MOHW Food No. 1041901818 Announced. Methods of Test for Food Microorganisms-Test of Staphylococcus aureus	REMARK4.

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.
4. The test items are analyzed by "Food Laboratory, SGS Taiwan Ltd.,".



Dong Lu

Dong Lu, M.R./ Chemist

SIGNED FOR AND ON BEHALF OF
SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130237

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System) (Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Diazinon	ND<0.00083 (mg/L)	NIEA W610.52B	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Atina Hsieh

Atina Hsieh, M.S./ Asst. Supervisor
 SIGNED FOR AND ON BEHALF OF
 SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130238

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Parathion	ND<0.00073 (mg/L)	NIEA W610.52B	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Atina Hsieh

Atina Hsieh, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130239

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System) (Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
EPN	ND<0.00057 (mg/L)	NIEA W610.52B	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Atina Hsieh

Atina Hsieh, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130240

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System) (Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Monocrotophos	ND<0.00068 (mg/L)	NIEA W610.52B	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Atina Hsieh

Atina Hsieh, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130241

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System) (Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Lindane	ND<0.00002 (mg/L)	NIEA W605.53B	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Atina Hsieh

Atina Hsieh, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

TEST Report

Report No. : PD/2018/A130242

Page : 1 OF 1

Date : Oct. 16, 2018

The following test was submitted & identified by the client as:

Client Group : Awake Technology Corporation
Type of Sample : DRINKING WATER
Sample No. : PDA130201
Sampling : Awake Technology Corporation
Sampling Place : 3F, No. 6, Ln. 34, GONGXING ST., SHULIN DIST., NEW TAIPEI CITY
 23869, TAIWAN, R.O.C (Spring Aqua LLC Water System)(Provided by client)
Date of Sampling : Oct. 02, 2018 (Provided by client)
Date of Sample received: Oct. 02, 2018
Test Results:

Test Requested	Test Results (Unit)	Test Methods	REMARK
Endosulfan	ND<0.00006 (mg/L)	NIEA W605.53B	

- REMARK 1. This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
2. The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
3. If there are any discrepancy, the Chinese version shall prevail.



Atina Hsieh

Atina Hsieh, M.S./ Asst. Supervisor

SIGNED FOR AND ON BEHALF OF

SGS TAIWAN LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.